

XAMPP

Cross Platform , Apache ,

Mysql/MariaDb, Php,Perl

XAMPP

- 1998: Michael Kunze coins the term "LAMP stack"
- 2003 :Wamp server was developed Romain Bourdon.


- **LAMP**: for the [Linux](#) operating system (The original AMP stack – explained here.)
- **MAMP**: for the [macOS](#) operating system
- **SAMP**: for [Solaris](#) operating system
- **WIMP**: A similar package where the [Apache](#) is replaced by [Internet Information Services](#) (IIS)
- **WISA**: solution stack for Windows (operating system), consisting of [Internet Information Services](#), [Microsoft SQL Server](#), and [ASP.NET](#)
- **XAMPP**: A cross-platform web server solution stack package.

XAMPP


Steps

1. Download XAMPP .
2. Start Set up.
3. Select modules.
4. Configure.
5. Start
6. Test
 - Apache
 - Mysql
 - phpmyadmin


XAMPP



XAMPP



XAMPP



XAMPP

```
ERROR 1044 (42000): Access denied for user 'murali'@'localhost' (using password: YES)
ADMIN@DESKTOP-NEFOFA2 c:\soft\xampp\mysql>
# mysql -u murali -p
Enter password: *****
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 11
Server version: 10.4.28-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation and
its subsidiaries. All rights reserved.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> select currentuser()
-> ;
ERROR 1305 (42000): FUNCTION currentuser does not exist
MariaDB [(none)]> select current_user()
-> ;
+-----+
| current_user()      |
+-----+
| murali@localhost   |
+-----+
1 row in set (0.000 sec)
```

XAMPP

